

## Bitzer 4DC-5.2Y-40S (x2)

### Specifications

Marka	Bitzer
Typ	4DC-5.2Y-40S (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	26,5
kW at -5°C/+40°C	21,4
kW at -10°C/+40°C	17,0
kW at -20°C/+40°C	10,1
kW at -30°C/+40°C	5,2
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Osuszający filter linii cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
Panel kontrolny	✓
m <sup>3</sup> / h	53,8 m <sup>3</sup> /h at 50 Hz & 64,8 m <sup>3</sup> /h at 60 Hz
Uwagi	Y.o.b. 2011
Package / Rack	✓
Rozmiary	1630x860x1800 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 4DC-5.2Y-40S (x2)

Used Bitzer 4DC-5.2Y-40S (x2) Semi-hermetic reciprocating compressor rack on Freon. Complete with pressure safety switch and a control cabinet with a Danfoss controller. The compressors have a total displacement of 53,8 m<sup>3</sup>/h at 50 Hz & 64,8 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





