

Bitzer 4HE-25Y-40P (x1) & 4H-25.2Y-40P (x2)

Specifications

Marka	Bitzer
Typ	4HE-25Y-40P (x1) & 4H-25.2Y-40P (x2)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	180,3
kW at -5°C/+40°C	149,8
kW at -10°C/+40°C	123,1
kW at -20°C/+40°C	80,1
kW at -30°C/+40°C	48,3
kW at -40°C/+40°C	25,5
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Ssanie	✓
Separator oleju	✓
Poziom oleju w systemie	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓



	Hz - 266,4 m ³ /h
Model	4HE-25.2Y-40P - Y.o.b. 2004
	4HE-25.2Y-40P - Y.o.b. 2016
Package / Rack	✓
Rozmiar	2930x1160x1980 mm (LxWxH)
Stock	1

Description

Used Bitzer 4HE-25Y-40P (x1) & 4H-25.2Y-40P (x2)

Used Bitzer 4HE-25Y-40P (x1) & 4H-25.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a liquid receiver, suction accumulator, oil separator, oil reservoir, liquid line filter drier, pressure and safety switches/gauges. The compressor has a displacement of 220,9 m³/h - 50 Hz & 266,4 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your logistics.





