

Güntner S-GVH 092/2x6-N(S).E

Specifications

Marka	Güntner
Typ	S-GVH 092/2x6-N(S).E
Typ produktu	Drycooler
Ogólna wydajność w kW	1751,3*
Liczba wentylatorów	12
Prdkość obrotów wentylatora (obr/min)	890/700
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	326.000
wentylatory o średnicy Ø 910 mm	
Powierzchnia (m2)	2911,0 m ²
Rozmiary (LxWxH)	12000x2900x1460 mm
Waga	3000 kg
Uwagi	*Capacity is based on a medium inlet temperature of 60°C and an outlet temperature of 40°C
Stock	1



Description

Used Güntner S-GVH 092/2x6-N(S).E

Used Güntner S-GVH 092/2x6-N(S).E drycooler. Complete with 12 Ziehl-Abegg FC091-SDS.7Q.V7 fans - 50 Hz - 2,79/1,36 kW - 890/700 RPM - diameter 910 mm and a total airflow of 326.000 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 1751,3kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C.

*All components of this used condenser will be tested on adequate functionality, leak-free condition (electro engines), condensing block, and bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can



arrange your shipment.



