


Bitzer LH104/F152H 4CC-6.2Y

Condensing unit

Specifications

Marka	Bitzer
Typ	LH104/F152H 4CC-6.2Y Condensing unit
Czynnik chłodzący	Freon
kW at -5°C/+40°C	21,1
kW at -10°C/+40°C	17,4
kW at -20°C/+40°C	11,4
kW at -30°C/+40°C	7,0
kW at -40°C/+40°C	3,8
kW at -45°C/+40°C	2,5
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	15 l
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Panel kontrolny	✓
m ³ / h	50 Hz - 32,5 m ³ /h / 60 Hz - 39,2 m ³ /h
Uwagi	Y.o.b. 2005
Condensing Unit	✓



Rozmiar	1150x940x1050 mm (LxWxH)
---------	-----------------------------

Stock	1
-------	---

Description

Used Bitzer LH104/F152H 4CC-6.2Y Condensing unit

Used Bitzer LH104/F152H condensing unit on Freon. Complete with 1 Bitzer 4CC-6.2 Y semi-hermetic reciprocating compressor, Bitzer liquid receiver with a volume 15 liters, pressure safety switches, oil separator, control panel and condenser with 2 Hidria R13R-4530A-4M-7039 fans - 50/60 Hz - 0,38/0,57 kW - 1390/1570 RPM.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.

