

Grasso 610

Specifications

Marka	Grasso
Typ	610
Czynnik chłodzący	NH 3 (ammonia)
kW at -10°C/+40°C	198,0
kW at -20°C/+40°C	147,0* (-15°C/+40°C)
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Separator oleju	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	432 m ³ /h - 1500 RPM
Uwagi	Y.o.b. 2006
Uwagi	*Data based on gas cooling and liquid subcooling in heat exchanger.
Rozmiary	2200x1200x1900 mm (LxWxH)
Stock	1



Description

Used Grasso 610

Used Grasso RC 610 reciprocating compressor on NH3 (ammonia). Complete with a Grasso OS3 oil separator with a volume of 70 liters, Leroy Somer PLS250SP-T electro motor - 50/60 Hz - 1475/1774 RPM - 75/86 kW, pressure and safety switches/gauges and a sight glass. The compressor has a displacement of 432 m³/h at 1500 RPM.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





