

Bitzer HSK6461-40-40P (x1) & HSK6461-60-40P (x1)

Specifications

Marka	Bitzer
Typ	HSK6461-40-40P (x1) & HSK6461-60-40P (x1)
Czynnik chłodzący	Freon
kW at 0°C/+40°C	321,6
kW at -5°C/+40°C	276,4
kW at -10°C/+40°C	235,8
kW at -20°C/+40°C	166,8
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	228 L
Separator oleju	✓
Osuszający filter lini cieczy	✓
Okno widokowe	✓
Zawór elektromagnetyczny	✓
m ³ / h	50 Hz - 330 m ³ /h / 60 Hz - 396 m ³ /h
Uwagi	Y.o.b. 2013



Package / Rack	✓
Rozmiar	2400x1400x2100 mm (LxWxH)
Stock	1

Description

Used Bitzer HSK6461-40-40P (x1) & HSK6461-60-40P (x1)

Used Bitzer HSK6461-40-40P (x1) & HSK6461-60-40P (x1) semi-hermetic screw compressors package on Freon. Complete with a Bitzer F2202N liquid receiver with a volume of 228 liters, Bitzer OA4088 oil separator, pressure safety switches/gauges, 2 BHE economizer, and liquid line filter drier. The compressor has a displacement of 330 m³/h at 50 Hz and 396 m³/h at 60 Hz.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







