

Bitzer 6GE-40Y-40P condensing unit

Specifications

Marka	Bitzer
Typ	6GE-40Y-40P condensing unit
Czynnik chłodzący	Freon
kW at 0°C/+40°C	102,4
kW at -5°C/+40°C	85,2
kW at -10°C/+40°C	70,2
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,4
kW at -45°C/+40°C	10,6
Podstawa na stalowej ramie	✓
Ciśnieniowe przełączniki bezpieczeństwa	✓
Wskaźniki ciśnienia	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	200 l
Osuszający filter lini cieczy	✓
Panel kontrolny	✓
m ³ / h	126,8 m ³ /h - 50 Hz / 152,9 m ³ /h - 60 Hz
Uwagi	Y.o.b. 2011
Condensing Unit	✓
Rozmiary	5400x1270x1570 mm (LxWxH)



Stock

1

Description

Used Bitzer 6GE-40Y-40P condensing unit

Used Bitzer condensing unit on Freon. Complete with a Bitzer 6GE-40Y-40P semi-hermetic reciprocating compressor, condenser with 2 Ziehl-Abegg FN080-ADS.6N.V7 fans - diameter of 800 mm, Güntner GBH liquid receiver with a volume of 200 liters, liquid line filter drier, pressure and safety switches/gauges and control panel. The compressor has a displacement of 126,8 m³/h at 50 Hz and 152,9 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





