

Thermofin TCD.1-091-29-A-M-S5-BD-02

Specifications

Marka	Thermofin
Typ	TCD.1-091-29-A-M-S5-BD-02
Typ produktu	Drycooler
Ogólna wydajność w kW	700,8
Liczba wentylatorów	18
Prdkość obrotów wentylatora (obr/min)	885/685
Czynnik chłodzący	Glycol
Przepływ powietrza w m ³ /h	409.000 m ³ /h
wentylatory o średnicy Ø 910 mm	
Powierzchnia (m ²)	4921,0 m ²
Rozmiary (LxWxH)	10500x2410x2300 mm
Stock	1



Description

Used Thermofin TCD.1-091-29-A-M-S5-BD-02

Used Thermofin TCD.1-091-29-A-M-S5-BD-02 drycooler. Complete with 18 EBM-Papst fans - 50 Hz - 2,48/1,57 kW - 885/685 RPM - 5,15/2,9 A - diameter 910 mm and an airflow of 409.000 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 700,8 kW with a medium inlet temperature of 40°C and an outlet temperature of 35°C.

*All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an



**Your partner for used commercial and
industrial refrigeration equipment**

industrial cleaning on demand, we can
arrange your shipment.





