

# Carlyle / Carrier 06TUA483SW1C

## Specifications

Marka	Carlyle / Carrier
Typ	06TUA483SW1C
Czynnik chłodzący	Freon
Refrigerant type	R134a
kW at +10°C/+40°C	698,7 (+12,8°C/+43,3°C)
kW at 0°C/+40°C	477,8 (+1,7°C/+43,3°C)
kW at -5°C/+40°C	384,0 (-3,9°C/+43,3°C)
kW at -10°C/+40°C	300,9 (-9,4°C/+43,3°C)
Kontrolka wydajności	✓
Podstawa na stalowej ramie	✓
Obiornik cieczy	✓
Obiornik cieczy ltr.	155
Osuszający filter lini cieczy	✓
Zawór elektromagnetyczny	✓
m <sup>3</sup> / h	809
Rozmiary	1660x1350x600 mm (LxWxH)
Stock	1



## Description

### Used Carlyle / Carrier 06TUA483SW1C

Used Carlyle / Carrier 06TUA483SW1C semi-hermetic screw compressor on Freon type R134a. The compressor has a displacement of 809 m<sup>3</sup>/h at 2900/3500 RPM. Complete with Mecasem Sas 00PSG001083200D liquid receiver a 155 liters and liquid line filters drier.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange your logistics.



