

Carrier 30 HS 100

Specifications

Marka	Carrier
Typ	30 HS 100
Typ produktu	Water Cooled Chiller
Ogólna wydajność w kW	315
Ogólna wydajność w	89,6
Tonaż	
Czynnik chłodzący	Freon
Liquid buffer tank	✓
Waga kg.	2028
Compressor(s) type & model	4x Compr. Carrier 06E 6299 610 E
Stock	1




Description

Used Carrier 30 HS 100

Compressor: 006E 6299 610 E (x4)
Refrigerant: R22/R404A Tons: 89,6
Brand: Carrier Model: 30 HS 100 **All components of this used chiller will be tested on good working, leak free condition (compressor, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform an industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.





Physical data

A. Unit

Unit 30HR. HS	020	030	040	050	060	070	080	090	100	110	120	140	160
Nominal cooling capacity ¹	56	78	137	155	178	223	247	262	315	340	351	405	450
	48 000	67 500	118 000	133 000	153 000	192 000	212 000	225 000	271 000	292 000	302 000	348 000	387 000
Approximate operating weight ¹	810	850	1246	1445	1503	2240	2325	2427	2903	2960	3020	3438	3630
	560	600	825	1002	1035	1575	1600	1626	2026	2055	2082	2400	2450
Refrigerant charge R 22 ²	21	26	36	43	45	53	60	64	74	79	83	90	100
	13	18	20	25	29	36	40	44	51	55	60	67	76
Compressor 06E	Reciprocating, semi-hermetic (24,2 rps; 1450 rpm)												
Number	1	1	2	2	2	3	3	3	4	4	4	4	4
% capacity	—	—	56.5	60	50	57	62.5	67	50	54.5	50	50	50
Circuit 1	—	—	43.5	40	50	43	37.5	33	50	45.5	50	50	50
Circuit 2	—	—	4	4	4	6	6	6	8	8	8	8	8
No. control steps	2	3	4	4	4	6	6	6	8	8	8	8	8
Total no. cylinders	4	6	10	10	12	14	16	18	20	22	24	24	24
Total oil charge	6.6	9.0	13.2	15.6	18.0	22.2	24.6	27.0	31.2	33.6	36.0	36.0	36.0
Condenser 09RP (30HR units only)	—												
Circuit 1	022	022	022	027	027	043	054	070	054	070	070	070	084
Circuit 2	—	—	—	022	027	033	033	033	054	064	070	070	084
Refrig. connection no. size 00 in	1 1/8	1 1/8	2 1/8	2 1/8	2 1/8	1 1/8	1 1/8	1 1/8	2 1/8	2 1/8	2 1/8	2 1/8	2 1/8
Liquid	1 1/8	1 1/8	2 1/8	2 1/8	2 1/8	1 1/8	1 1/8	1 1/8	2 1/8	2 1/8	2 1/8	2 1/8	2 1/8
Discharge	1 1/8	1 1/8	2 1/8	2 1/8	2 1/8	1 1/8	1 1/8	1 1/8	2 1/8	2 1/8	2 1/8	2 1/8	2 1/8



Your partner for used commercial and industrial refrigeration equipment
