

Sabroe SAB 202 LF

Specifications

Бренд	Sabroe
Тип	SAB 202 LF
Хладагент	NH 3 (ammonia)
кВт at +10°C/+40°C	3086,8
kW at 0°C/+40°C	2153,9
kW at -5°C/+40°C	1777,6
кВт at -10°C/+40°C	1453,6
кВт at -20°C/+40°C	1113,5
кВт at -30°C/+40°C	708,4
кВт at -40°C/+40°C	416,7
Электродвигатель	500 kW at 2982 RPM.
Спесс	
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Прессостаты	✓
конденсатора	
Маслоотделитель	✓
Смотровое стекло	✓
Панель управления	✓
m ³ / h	2335
Примечания	Y.o.b. 2003
Размеры	3450x1600x2300 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 202 LF

Sabroe SAB 202 LF compressor unit. Complete with the following components: Sabroe SAB 202 LF screw compressor, ABB M3BP 355LKA 2 B3 electromotor (500 kW at 2982 RPM), Sabroe OHU 4131 oil seperator 610 Liter, WEG pump and a Unisab 3 control panel.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





