

Bitzer 4T.2 Condensing unit

Specifications

Бренд	Bitzer
Тип	4T.2 Condensing unit
Хладагент	Freon
kW at 0°C/+40°C	33,1
kW at -5°C/+40°C	27,6
кВт at -10°C/+40°C	22,8
кВт at -20°C/+40°C	12,1
кВт at -30°C/+40°C	9,4
кВт at -40°C/+40°C	5,2
kW at -45°C/+40°C	3,7
На стальной раме	✓
Жидкостный ресивер	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
m ³ / h	47,4
Condensing Unit	✓
Размеры	1940x750x1240 mm (LxWxH)
Stock	1



Description

Used Bitzer 4T.2 Condensing unit

Used Bitzer 4T.2 Condensing unit on Freon. Complete with 1 Bitzer 4T.2 Open-type reciprocating compressor, condenser with 3 fans - 50 Hz - 0,15 kW - 1500 RPM - Diameter 400 mm, liquid receiver, liquid line filter drier and a control box.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.



