

Bock HGX5/725-4 S (x1) & HGX6/1410-4 S (x2)

Specifications

Бренд	Bock
Тип	HGX5/725-4 S (x1) & HGX6/1410-4 S (x2)
Хладагент	Freon
kW at 0°C/+40°C	329,1
kW at -5°C/+40°C	271,5
кВт at -10°C/+40°C	221,6
кВт at -20°C/+40°C	144,3
кВт at -30°C/+40°C	87,0
кВт at -40°C/+40°C	46,3
kW at -45°C/+40°C	30,9
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.40	
Маслоотделитель	✓
Система	✓
маслоуравнивания	
m ³ / h	415,3
Package / Rack	✓



(LxWxH)

Bockеры

4400x1050x2400 mm

Description

Used Bock HGX5/725-4 S (x1) & HGX6/1410-4 S (x2)

Used Bock semi-hermetic reciprocating compressor rack on Freon. Complete with 1 Bock HGX5/725-4 S & 2 HGX6/1410-4 S & compressors with capacity control and unloaded start, Euro-cold bv SHO 250 oil separator, Frigomec FS 40 liquid receiver and pressure and safety switches/gauges. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.





