

Sabroe SAB 163 HF MK2 man VI

Specifications

Бренд	Sabroe
Тип	SAB 163 HF MK2 man VI
Хладагент	NH 3 (ammonia)
kW at 0°C/+40°C	893,5
kW at -5°C/+40°C	735,7
кВт at -10°C/+40°C	600,0
кВт at -20°C/+40°C	456,1
кВт at -30°C/+40°C	286,2
кВт at -40°C/+40°C	164,7
Электродвигатель	50 Hz - 200 kW - 2965
Specs	RPM
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Манометры	✓
Маслоотделитель	✓
Смотровое стекло	✓
Панель управления	✓
m ³ / h	954,0
Размеры	2700x1250x2300 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 163 HF MK2 man VI

Used Sabroe SAB 163 HF screw compressor on a steel base frame. Complete with a Schorch KN7315M electric motor - 50 Hz - 200 kW - 2965 RPM, a Sabroe OHU 6022 D oil separator, a Sabroe OOSI 27142A oil cooler, gauges and a Beckhoff control panel.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.









