

Bitzer 4H-25.2Y

Specifications

Бренд	Bitzer
Тип	4H-25.2Y
Хладагент	Freon
kW at 0°C/+40°C	59,4
kW at -5°C/+40°C	49,4
кВт at -10°C/+40°C	40,6
кВт at -20°C/+40°C	26,4
кВт at -30°C/+40°C	15,9
кВт at -40°C/+40°C	8,3
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.98	
Фильтр-осушитель	✓
Панель управления	✓
m3 / h	73,6
Примечания	Y.o.b. 2001
Размеры	2080x1300x1620 mm (LxWxH)
Stock	1



Description

Used Bitzer 4H-25.2Y

Used Bitzer 4H-25.2Y reciprocating compressor unit. Complete with a Frigo-Mec FK 98 liquid receiver with a volume of 98 liter, liquid line filter drier, pressure safety switches/gauges, control panel and a Schneider Electric Altivar 21 frequency converter.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive quality test and after it has been cleaned industrially.
*If requested we are happy to arrange your shipment.













