

Sabroe SMC 108L

Specifications

Бренд	Sabroe
Тип	SMC 108L
Хладагент	NH 3 (ammonia)
Refrigerant type	R717
кВт at +10°C/+40°C	722,4
kW at 0°C/+40°C	477,8
kW at -5°C/+40°C	380,2
кВт at -10°C/+40°C	297,1
Электродвигатель	50/60 Hz - 110/127 kW -
Specs	1475/1775 RPM
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Маслоотделитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
м3 / h	565
Примечания	Y.o.b. 2005
Размеры	2450x1150x1480 mm (LxWxH)
Stock	1



Description

Used Sabroe SMC 108L

Ready to run Sabroe SMC 108L reciprocating compressor on NH3 (Ammonia). Complete with a Schorch KN7280S-BB01B-401 electric motor - 50 Hz - 110 kW - 1475 RPM, Sabroe OVUR 3206D oil separator with a volume of 39 liter, pressure and safety switch and a Sabroe UNISAB 2 control panel. The compressor has a displacement of 565 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







