

# DWM D66DH5-700X-AWM/D / D6DH4-350X-AWM/D

## Specifications

Бренд	DWM
Тип	D66DH5-700X-AWM/D / D6DH4-350X-AWM/D
Хладагент	Freon
кВт at +10°C/+40°C	246,4
kW at 0°C/+40°C	173,4
kW at -5°C/+40°C	143,8
кВт at -10°C/+40°C	118,1
кВт at -20°C/+40°C	76,7
На стальной раме	✓
Прессостаты	✓
Жидкостный ресивер	✓
Отделитель жидкости	✓
Маслоотделитель	✓
Система маслоуравнивания	✓
Смотровое стекло	✓
m <sup>3</sup> / h	212,0
Package / Rack	✓
Размеры	3100x880x1550 mm (LxWxH)
Stock	1



## Description

### Used DWM D66DH5-700X-AWM/D / D6DH4-350X-AWM/D

Used DWM D66DH5-700x-AWM/D parallel compound with 1x D6DH4-350x-AWM/D and 1x D6DH5-350x-AWM/D semi-hermetic reciprocating compressor. The total displacement is 212 m<sup>3</sup>/h. Complete with liquid receiver, oil separator, suction accumulator, pressure safety switches and oil level system.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.



