

Goedhart FC38S(DX)-p-62357-EC

Specifications

Производитель	Goedhart
Тип	FC38S(DX)-p-62357-EC
кВт	8,7
Хладагент	CO2
К-во вентиляторов	2
Расстояние между ламелями, мм	7
Оттайка	None
Поток воздуха м ³ /час	4.725
Размеры	1560x740x650 mm (LxWxH)
Примечания	Y.o.b. 2018
Volume	10 dm ³
вес	74 kg
Stock	2



Description

Used Goedhart FC38S(DX)-p-62357-EC

New Goedhart FC38S(DX)-p-62357-EC evaporator for CO2 build in 2018. Complete with 2 Ziehl-Abegg FN035-4IW.ZC.A5P5 fans with a diameter of 350 mm and a total airflow of 4.725 m³/h.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



		Kelvion Machine Cooling Sp. z o.o. ul. Sikorskiego 38 58-160 Świebodzice POLAND Tel. +48 74 8500 800 www.kelvion.com	
Name Plate		Article No.:/ Oznaczenie wyrobu: 200248411-70	
Manufacturing - Serial No./Date		67283/002/2018	
Numer seryjny produktu/rok:			
Client Ref:			
Model: Goedhart FC38S(DX)-p-62357-EC			
Fan(s):	1 x 230 - 50Hz	P - Fan(s) Total	300 W
		I - Fan(s) Total	1,3 A
Elec. defrost according to wiring diagram		p - Electric Defrost Total	--- kW
		I - El. Deffr.	--- A
Heat Exchanger		Made in the EC	
Net weight	74 kg	Design pres.	PS 28 bar / 406 psi
Volume	10 dm ³	Design temp.	TS -5°C / 55°C
		Test pres.	PT 40 bar / 580 psi
		Min/Max all. temp	-40°C / 100°C
Safety device settings			
Fluid group	2	PED cat.	S.E.P.
			002 of 002



