

Güntner GCHC RD 050.2/12-49-4240708M

Specifications

Производитель	Güntner
Тип	GCHC RD 050.2/12-49-4240708M
Тип продукта	Air Cooled Condenser
кВт	98,4
К-во вентиляторов	2
Скорость вращения вентиляторов	1300/1400
Хладагент	Freon
Поток воздуха м ³ /час	20.400
диаметр вентиляторов	500
Ø	
поверхность (м2)	182,2
Объем трубки	17,4
Размеры	2700x1090x880 mm (LxWxH)
Примечания	Y.o.b. 2018
Stock	1





Description

Used Güntner GCHC RD 050.2/12-49-4240708M

New Güntner GCHC RD 050.2/12 air cooled condenser on Freon build in 2018. Complete with 2 EBМ-Papst S4E500-CM03-05 fans - 50/60 Hz - 0,68/0,88 kW - 1300/1400 RPM - diameter 500 mm and a total airflow of 20.400 m³/h.

*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



Guntner GmbH & Co. KG Hans-Guntner-Strasse 2-6 82256 Forstenfeldbruck www.guntner.de			
Projektnummer - Project number	107002121		
Druckgeraetebezeichnung - Pressure equipment type	GGHC RD 050.2/12-49-4240708M		
UI Nummer - UI number	4240708		
Seriennummer - Serial number	504067622/29.01865		
Herstellungsjahr - Year of manufacture	2018		
Ventilator/ID/Drehzahl/Stromaufn. - Fan/ID/Speed/Current	VT103087U / 2092 / 1300 min - 1 / 3 A		
Volumen - Volume (V)	17.4 l		
Max. zulassiger Druck (PS) Max. permissible pressure (PS)	32 / 0 bar	0 / -1 bar	
Zulaessige min./max. Temperatur (TS) Permissible min./max. temperature (TS)	-50 °C / +100 °C		-50 °C / +40 °C
Pruefdruck (PT) / Pruefmedium Test pressure (PT) / Test medium	35.2 bar / Druckluft - Compressed air		
Pruefdatum - Test date	2018-07-24		
Fluidgruppe / Zustand - Group of fluid / State	2 / gasförmig - gaseous		



