

Maneurop SZ 100 Condensing unit

Specifications

Бренд	Maneurop
Тип	SZ 100 Condensing unit
Хладагент	Freon
кВт at +10°C/+40°C	58,8
kW at 0°C/+40°C	40,5
kW at -5°C/+40°C	33,2
кВт at -10°C/+40°C	26,8
кВт at -20°C/+40°C	16,7
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.70	
Отделитель жидкости	✓
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
m ³ / h	44,2
Condensing Unit	✓
Размеры	2370x910x2200 mm (LxWxH)
Stock	1



Description

Used Maneurop SZ 100 Condensing unit

Used Maneurop SZ 100 condensing unit on Freon. Complete with 2 Maneurop SZ 100 scroll compressors, condenser with 2 ATB ABFT71-6B-7RH fans - 50 Hz - 0,18 kW - 880 RPM, Friga-Bohn BSV liquid receiver with a volume of 70 liter, Friga-Bohn suction accumulator, oil separator, pressure and safety switches/gauges and a control panel with a Siemens AC115/120V. The compressors have a total displacement of 44,2 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



Compressor : Maneurop type SZ 100
Oliesoort : esterolie SZ160
Koudemiddel : R407c 47 kg
Filters : zuiggasfilter type :A3F
Vloeistoffilter type : H-48
Oliefilter type : F-10B











