

Bitzer 66GE-68Y-40P / 6GE-34Y-40P (x2)

Specifications

Бренд	Bitzer
Тип	66GE-68Y-40P / 6GE-34Y-40P (x2)
Хладагент	Freon
kW at 0°C/+40°C	210,4
kW at -5°C/+40°C	175,9
кВт at -10°C/+40°C	145,8
кВт at -20°C/+40°C	97,1
кВт at -30°C/+40°C	61,2
кВт at -40°C/+40°C	35,3
kW at -45°C/+40°C	25,4
На стальной раме	✓
Прессостаты	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.160	
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
m ³ / h	50 Hz - 254 / 60 Hz - 306
Примечания	Y.o.b. 2016
Package / Rack	✓
Размеры	3030x1220x1370 mm (LxWxH)
Stock	1



Description

Used Bitzer 66GE-68Y-40P / 6GE-34Y-40P (x2)

Used Bitzer 66GE-68Y-40P / 6GE-34Y-40P (x2) semi-hermetic reciprocating tandem compressor rack on Freon. Complete with Bitzer F1602N liquid receiver with a volume of 160 liter, oil separator, liquid line filter drier and pressure and safety switches. Each compressor comes with a Hidria R09R-3132P-4T-3561 fan - 50/60 Hz - 0,10/0,13 kW - 1380/1560 RPM for head cooling. The compressors have a total displacement of 254 m³/h at 50 Hz and 306 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new



paint job and arrange the logistics.





