

Güntner GCHC RD 045.2/24-53-4235030M

Specifications


| | |
|-----------------------------------|---------------------------------|
| Производитель | Güntner |
| Тип | GCHC RD 045.2/24-53-4235030M |
| Тип продукта | Air Cooled Condenser |
| кВт | 210,8 |
| К-во вентиляторов | 8 |
| Скорость вращения вентиляторов | 1360 |
| Хладагент | Freon |
| Поток воздуха м ³ /час | 40.803 |
| диаметр вентиляторов | 450 mm |
| Ø | |
| поверхность (m2) | 722,6 m ² |
| Объем трубки | 62,7 dm ³ |
| Размеры | 3950x1700x1100 mm (LxWxH) |
| вес | 518 kg |
| Примечания | Y.o.b. 2020 |
| Stock | 1 |



Description

Used Güntner GCHC RD 045.2/24-53-4235030M

New Güntner GCHC RD 045.2/24-53-4235030M air cooled condenser on Freon build in 2020. Complete with 8 EBM-Papst S4E450-GA09-20 fans - 50 Hz - 0,48 kW - 1360 RPM - diameter 450 mm and a total airflow of 40.803 m³/h.
*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.





Artikeleigenschappen

| | |
|-------------------------------|-------------------------------|
| Type | GCHC 045.2/24-53 (4235030) |
| Cap. R449A (2) ΔT = 15K kW * | 210,8 |
| Lp dB(A) 10m (l) | 53 |
| Luchtdebiet m ³ /h | 40803 |
| Vent. aant. x Ø mm | 2 x 4 x 450 |
| Opp. m ² | 722,6 |
| Afmetingen L x B x H mm | 3684 x 1696 x 1071 |
| Inhoud dm ³ | 62,70 |
| Netto gewicht kg | 518,0 |