

Güntner S-GFD 080B/2x8-N(D)-F6/2P

Specifications

Производитель	Güntner
Тип	S-GFD 080B/2x8-N(D)-F6/2P
Тип продукта	Drycooler
кВт	1087,0*
К-во вентиляторов	16
Скорость вращения вентиляторов	880/680
Хладагент	Glycol
Поток воздуха м³/час	307.200 / 236.800
диаметр вентиляторов	800 mm
Ø	
поверхность (м²)	4027 m²
Объем трубки	251 dm³ + 251 dm³
Размеры	9680x2200x2250 mm (LxWxH)
вес	3470 kg
Примечания	Y.o.b. 2005
Remarks	* 34% - 40/35°C - 25°C
Stock	2



Description

Used Güntner S-GFD 080B/2x8-N(D)-F6/2P

Used Güntner S-GFD 080B/2x8-N(D)-F6/2P drycooler. Complete with 16 Ziehl-Abegg FE080-SDS.6N.6 fans - 50 Hz - 1,45/0,61 kW - 880/680 RPM - diameter 800 mm and a total airflow of 307.200 / 236.800 m³/h.

Cooling capacity: 1087* kW (Delta) / 883* kW (Star)
Volume flow: 209 m³/h (Delta) / 169 m³/h (Star)
Pressure drop: 1,4 bar (Delta) / 1,0 bar (Star).

The drycoolers worked together with these chillers: <https://hosbv.com/product/15834/waterchillers/York-YLCS1110HA-50Y-A.html> 16184

*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.





