

DWM DLEP-20X-EWL Condensing unit

Specifications

| | |
|--------------------------|---------------------------------|
| Бренд | DWM |
| Тип | DLEP-20X-EWL Condensing unit |
| Хладагент | Freon |
| кВт at +10°C/+40°C | 11,3 |
| kW at 0°C/+40°C | 7,6 |
| kW at -5°C/+40°C | 6,1 |
| кВт at -10°C/+40°C | 4,8 |
| кВт at -20°C/+40°C | 2,8 |
| кВт at -30°C/+40°C | 1,3 |
| кВт at -40°C/+40°C | 0,3 |
| На стальной раме | ✓ |
| Жидкостный ресивер | ✓ |
| Жидкостный ресивер л.7,8 | |
| Отделитель жидкости | ✓ |
| Маслоотделитель | ✓ |
| Фильтр-осушитель | ✓ |
| Смотровое стекло | ✓ |
| m ³ / h | 9,9 |
| Примечания | Y.o.b. 2009 |
| Condensing Unit | ✓ |
| Размеры | 950x660x600 mm (LxWxH) |
| Stock | 1 |



Description

Used DWM DLEP-20X-EWL Condensing unit

Used DWM DLEP-20X-EWL semi-hermetic reciprocating condensing unit on Freon. Complete with a condenser that has 2 fans, a suction accumulator, an oil separator, Frigo-Mec RV-180X390 liquid receiver with a volume of 7,8 liter. The compressor has a displacement of 9,9 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.





