

Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

Specifications

Бренд	Bitzer
Тип	6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)
Хладагент	Freon
kW at -5°C/+40°C	205,3
кВт at -10°C/+40°C	169,3
кВт at -20°C/+40°C	110,9
кВт at -30°C/+40°C	67,7
кВт at -40°C/+40°C	36,4
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.160	
Маслоотделитель	✓
Система маслоуравнивания	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m ³ / h	50 Hz - 309,8 m ³ /h - 60 Hz - 374,1 m ³ /h
Примечания	Y.o.b. 2005
Масса	1500 kg
Package / Rack	✓



Размеры 3290x950x2150 mm
(LxWxH)

Stock 1

Description

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Bitzer F1602N liquid receiver with a volume of 160 liters, oil separator, oil reservoir, braced heat exchanger, liquid line filter drier, and pressure and safety switches/gauges.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





