

Bitzer W6FA (x2)

Specifications

Бренд	Bitzer
Тип	W6FA (x2)
Хладагент	NH 3 (ammonia)
кВт at +10°C/+40°C	473,8
kW at 0°C/+40°C	255,1
kW at -5°C/+40°C	198,3
кВт at -10°C/+40°C	148,8
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Маслоотделитель	✓
Система маслоуравнивания	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m ³ / h	366,0
Package / Rack	✓
Размеры	1950x1400x1440 mm (LxWxH)
Stock	1



Description

Used Bitzer W6FA (x2)

Used Bitzer W6FA (x2) open-type reciprocating compressor rack on NH₃ (Ammonia). Complete with 2 Rotor 5RN160M04 electric motors - 50 Hz - 11 kW - 1455 RPM, 2 AC&R SN-5292 oil separators, ESK Schultze OSA-18-FL1 oil reservoir and pressure and safety switches/gauges. The compressors have together a displacement of 366 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



