

Bitzer 4G-30.2Y-40P (x1) & 4Z-8.2 (x1)

Specifications

Бренд	Bitzer
Тип	4G-30.2Y-40P (x1) & 4Z-8.2 (x1)
Хладагент	Freon
kW at 0°C/+40°C	82,3
kW at -5°C/+40°C	67,9
кВт at -10°C/+40°C	55,6
кВт at -20°C/+40°C	35,7
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Манометры	✓
Отделитель жидкости	✓
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Соленоидный клапан	✓
Панель управления	✓
m ³ / h	50 Hz - 112,7 m ³ /h / 60 Hz - 136,0 m ³ /h
Примечания	Y.o.b. 2006
Package / Rack	✓
Размеры	2150x900x1130 mm (LxWxH)
Stock	1



Description

Used Bitzer 4G-30.2Y-40P (x1) & 4Z-8.2 (x1)

Used Bitzer 4Z-8.2 (x1) & 4G-30.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a oil separator, oil reservoir, suction accumulator, liquid receiver, pressure and safety switches, Mitsubishi FR-F746-00620-EC inverter and a control cabinet. The compressors have a total displacement of 112,7 m³/h at 50 Hz & 136,0 m³/h at 60 Hz. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





