


Sabroe HPC 108 S

Specifications

Бренд	Sabroe
Тип	HPC 108 S
Хладагент	NH 3 (ammonia)
кВт at +10°C/+40°C	571,1
kW at 0°C/+40°C	373,1
kW at -5°C/+40°C	294,4
кВт at -10°C/+40°C	227,6
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Маслоотделитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
m ³ / h	452,0
Примечания	Y.o.b. 2011
Масса	1665 kg
Stock	1



Description

Used Sabroe HPC 108 S

Used Sabroe HPC 108 S reciprocating compressor package on R717 (Ammonia). Complete with a Leroy Somer PLSES315MUR-T electric motor - 50/60 Hz - 200 kW - 1488/1790 RPM, Sabroe OVUR 5008 HP oil separator with a volume of 110 liter and pressure and safety switches. The compressor has a displacement of 452 m³/h.

This unit is part of the following heat pump: <https://hosbv.com/product/15418/waterchillers/Sabroe-NS-HPAC-116E108S.html> 15931

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty



and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.

