

Goedhart KOAL 76L/5-6P

Specifications

Производитель	Goedhart
Тип	KOAL 76L/5-6P
Тип продукта	Drycooler
кВт	334,3*
К-во вентиляторов	5
Скорость вращения вентиляторов	915
Хладагент	Glycol
Поток воздуха м ³ /час	85.600
диаметр вентиляторов	760
Ø	
поверхность (м2)	772,8
Объем трубки	80 dm ³
Размеры	8800x1080x1100 mm (LxWxH)
вес	810 kg
Примечания	*Capacity is based on a medium inlet temperature of 50°C and an outlet temperature of 40°C
Stock	1



Description

Used Goedhart KOAL 76L/5-6P

Used Goedhart KOAL 76L/5-6P drycooler. Complete with 5 fans - 50/60 Hz - 0,75/0,90 kW - 915/1115 RPM - diameter 760 mm and a total airflow of 85.600 m³/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 334,3kW with a medium inlet temperature of 50°C and an outlet temperature of 40°C.

*All components of this used condensers will be tested on good working, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



