

Bock HGX6/1410-4 S (x1) & HGX7/2110-4 (x1)

Specifications

Бренд	Bock
Тип	HGX6/1410-4 S (x1) & HGX7/2110-4 (x1)
Хладагент	Freon
kW at -5°C/+40°C	193,2
кВт at -10°C/+40°C	159,3
кВт at -20°C/+40°C	104,5
кВт at -30°C/+40°C	63,5
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Маслоотделитель	✓
Система	✓
маслоуравнивания	
Фильтр-осушитель	✓
Смотровое стекло	✓
Соленоидный клапан	✓
Панель управления	✓
m ³ / h	50 Hz - 306 m ³ /h / 60 Hz - 367,2 m ³ /h
Примечания	Y.o.b. 2001
Package / Rack	✓



(LxWxH)

Bockеры

5000x1200x2900 mm

Description

Used Bock HGX6/1410-4 S (x1) & HGX7/2110-4 (x1)

Used Bock HGX6/1410-4 S (x1) & HGX7/2110-4 (x1) compressor rack on Freon. Complete with a AC&R S-1904 oil separator, Witt NDB 813 X 2200 separator, pressure and safety switches/gauges, oil level system AC&R and control cabinet with displays. The compressors have a total displacement of 306 m³/h at 50 Hz and 367,2 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.







