


Sabroe SAB 128 HF MK3 man VI

Specifications

Бренд	Sabroe
Тип	SAB 128 HF MK3 man VI
Хладагент	Freon
кВт at +10°C/+40°C	538,5
kW at 0°C/+40°C	383,5
kW at -5°C/+40°C	320,2
кВт at -10°C/+40°C	265,1
кВт at -20°C/+40°C	227,0
кВт at -30°C/+40°C	152,2
Электродвигатель	50 Hz - 110 kW - 2960
Specs	RPM
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Манометры	✓
Маслоотделитель	✓
Смотровое стекло	✓
Панель управления	✓
m ³ / h	454 m ³ /h
Примечания	Y.o.b. 2000
Размеры	2400x1700x1950 mm (LxWxH)
Stock	2



Description

Used Sabroe SAB 128 HF MK3 man VI

Used Sabroe SAB 128 HF screw compressor on Freon. Complete with a Leroy Somer PLS250MP-T electric motor - 50 Hz - 110 kW - 2960 RPM, Sabroe OHU 4119 oil separator with a volume of 270 liter, Sabroe OWSG 1619E4 oil cooler, oil pump, pressure and safety gauges and a control cabinet. The compressor has a displacement of 454 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



