

Sabroe SMC 108 L

Specifications

| | |
|---------------------|---|
| Бренд | Sabroe |
| Тип | SMC 108 L |
| Хладагент | NH 3 (ammonia) |
| кВт at +10°C/+40°C | 722,4* |
| kW at 0°C/+40°C | 477,8* |
| kW at -5°C/+40°C | 380,2* |
| кВт at -10°C/+40°C | 297,1* |
| кВт at -20°C/+40°C | 169,1* |
| Электродвигатель | 50 Hz - 55 kW - 970 RPM |
| Specs | |
| Разгруженный старт | ✓ |
| Управление | ✓ |
| производительностью | |
| На стальной раме | ✓ |
| Прессостаты | ✓ |
| Манометры | ✓ |
| Маслоотделитель | ✓ |
| Смотровое стекло | ✓ |
| Соленоидный клапан | ✓ |
| м3 / h | 370,0 |
| Примечания | *Please notice that for given capacities there is a bigger electric motor needed. |
| Размеры | 2150x950x1200 mm (LxWxH) |
| Stock | 1 |



Description

Used Sabroe SMC 108 L

Used Sabroe SMC 108 L reciprocating compressor on NH3 (Ammonia). Complete with a Schorch AN3 250M CB 011 electric motor - 50 Hz - 55 kW - 970 RPM, Sabroe OVUR 3206D oil separator, pressure and safety switches/gauges. The compressor has a displacement of 370 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





