

# Bitzer 4H-25.2 Y

## Specifications

Бренд	Bitzer
Тип	4H-25.2 Y
Хладагент	Freon
kW at 0°C/+40°C	59,4
kW at -5°C/+40°C	49,4
кВт at -10°C/+40°C	40,6
кВт at -20°C/+40°C	26,4
кВт at -30°C/+40°C	15,9
кВт at -40°C/+40°C	8,3
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Жидкостный ресивер	✓
Жидкостный ресивер л.55 L	
Маслоотделитель	✓
Фильтр-осушитель	✓
Смотровое стекло	✓
m3 / h	50 Hz - 73,6 m <sup>3</sup> /h
Примечания	Y.o.b. 1999
Размеры	1950x1000x1720 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4H-25.2 Y

Used Bitzer 4H-25.2 Y semi-hermetic reciprocating compressor on Freon. Complete with a Frigo Mec FK 55 liquid receiver with a volume of 55 liters, AC&R S-5688 oil separator, liquid line filter drier, sight glass and pressure safety switches. The compressor has a displacement of 73,6 m<sup>3</sup>/h at 50 Hz. \*Why choose for HOS BV? We are not only the largest used refrigeration specialist in Europe, but we also deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.





