

# Baltimore CXVE 504-1218-30L

## Specifications

Производитель	Baltimore
Тип	CXVE 504-1218-30L
Тип продукта	Evaporating Condenser
кВт	2124,0*
К-во вентиляторов	3
Хладагент	NH 3 (ammonia)
Поток воздуха м <sup>3</sup> /час	225.000
Размеры	5480x3607x6230 mm (LxWxH)
вес	Operating weight: 15.740 kg Shipping weight: 10.530 kg
Примечания	Y.o.b. 2018
Remarks	*Capacity based on UK operating conditions
Stock	1



## Description

### Used Baltimore CXVE 504-1218-30L

In good condition used Baltimore CXVE 504-1218-30L evaporating condenser on R717 (Ammonia) built in 2018. Complete with 3 fans that are driven by a Electramo HMS-132M-4 electric motor - 50 Hz - 7,5 kW - 1460 RPM and a water pump. The condenser produces an airflow of 225.000 m<sup>3</sup>/h and a water flow of 85,2 m<sup>3</sup>/s. \*Capacity based on UK operating conditions. For more information please feel free to contact us!


\*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning on demand, we can



Your partner for used commercial and industrial refrigeration equipment

---

arrange your shipment.



Efficiency grade at optimum efficiency point: 36 (2015) – 40 (2015)  
 Calculation of  $\eta$  assumed use of VFD: No

PN 27009000

**BALTIMORE AIRCOIL INTERNATIONAL nv**  
 Heist-op-den-Berg, Belgium • www.BaltimoreAircoil.eu

MODEL N° CXVF\_504-1218-30  
 SERIAL N° H180367101

**BAC**

FAN OVERALL EFFICIENCY ( $\eta$ ) 54.63%

27009000MAH

details m.b.t. de volgende onderwerpen, gelieve de B.A.C. Bedrijf & Onderhouds - en de C. Installatie & Opstellingscatalogi te consulteren, die worden meegestuurd met de orderstiging & met dit toestel.

B & O I & O



