

# Mycom 250LUD-MX

## Specifications

|                     |   |
|---------------------|---|
| Бренд               | Mycom   |
| Тип                 | 250LUD-MX   |
| Хладагент           | NH 3 (ammonia)  |
| кВт at -10°C/+40°C  | 1530,7  |
| кВт at -20°C/+40°C  | 989   |
| кВт at -30°C/+40°C  | 602,7   |
| кВт at -40°C/+40°C  | 336,9   |
| Электродвигатель    | 315   |
| Specs               |   |
| Разгруженный старт  | ✓   |
| Управление          | ✓   |
| производительностью |   |
| На стальной раме    | ✓   |
| Прессостаты         | ✓   |
| Манометры           | ✓   |
| Прессостаты         | ✓   |
| конденсатора        |   |
| Маслоотделитель     | ✓   |
| Панель управления   | ✓   |
| Примечания          | # Electromotor: 315 kW at 2960 RPM // Only 1666 running hours after overhauling in 05-2008! |
| Размеры             | 4700x1700x3150 mm (LxWxH)   |
| Stock               | 1   |



## Description

### Used Mycom 250LUD-MX

Used Mycom 250LUD-MX ammonia compressor, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, condensing pressure switches, oil separator and control panel. This unit has a cooling capacity of 1530,7 kW at -10°C/+40°C.

Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





