

DWM 6CC-68 (x2)

Specifications

Бренд	DWM
Тип	6CC-68 (x2)
Хладагент	Freon
кВт at +10°C/+40°C	236,8
kW at 0°C/+40°C	162,9
kW at -5°C/+40°C	136,2
кВт at -10°C/+40°C	106,8
кВт at -20°C/+40°C	64,8
кВт at -30°C/+40°C	34
Электродвигатель	30 kW at 1440 RPM (x2)
Specs	
Разгруженный старт	✓
Управление	✓
производительностью	
На стальной раме	✓
Прессостаты	✓
Манометры	✓
Жидкостный ресивер	✓
Маслоотделитель	✓
Соленоидный клапан	✓
Панель управления	✓
Примечания	# Complete pumpsystem incl. 2x hermetic CAM 1/5 AGX 1.0 pumps and Witt HR3H Floater



	freon types
Пакет / Rack	R404a - R22 or other
Размеры	3400x1800x2900 mm (LxWxH)
Stock	1

Description

Used DWM 6CC-68 (x2)

Used DWM 6CC-68 (x2) freon compressor rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, liquid receiver, oil separator, solenoid valve and control panel.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. *If requested we are happy to arrange your logistics.





