

# Goedhart DVS 64567

## Specifications


Производитель	Goedhart
Тип	DVS 64567
кВт	73.4*
Хладагент	Freon
К-во вентиляторов	4
Расстояние между ламелями, мм	7
Оттайка	Hot Gas
Двухпоточный	✓
Поток воздуха м³/час	41.159
Размеры	4456x1540x620 (LxWxH)
Примечания	Y.O.B. 2000 // 73.4*is based on 7K
Volume	91 dm <sup>3</sup>
вес	440 (empty)
Stock	4



## Description


### Used Goedhart DVS 64567

Used but in good condition 4 pieces Goedhart Model: DVS 64567, Size: 4456x1540x620 mm (LxWxH) · Weight: 440 · Fin space: 7 · m<sup>3</sup>/h: 41.159 · Fans: 4 · Hertz fans: 50 · Rpm: 1500 · Refrigerant: R22 · \*\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.





Type DVS	3x400V-50Hz-3pole (1500 min*nom.)						3x400V-50Hz-3pole (1500 min*nom.)						Refrigerant						Refrigerant	Inlet gas	Depth
	Refrigerant			Refrigerant			Refrigerant			Refrigerant			Refrigerant			In	out	mm			
	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant	Refrigerant						



3.4.45.7	18.1	26.1	26.47	62	10.0	14.8	13459	53	91	24	244	2856	1130	520	2456			28	16	4419	2x11"
4.4.45.7	21.5	21.2	20551	62	10.0	121	13124	53	121	30	274	2856	1230	520	2456			35	16	4419	2x11"
8.4.45.7	38.0	38.4	18634	62	10.0	215	12481	52	180	56	388	2856	1630	520	2456			42	16	4419	2x11"
8.4.45.7	40.3	33.5	18791	62	10.0	26.4	11859	52	243	60	400	2856	1630	520	2456			42	16	4419	2x11"
3.4.50.7	17.0	22.0	30366	68	10.0	22.3	20231	64	136	34	348	3056	1180	520	3056	1828	1828	35	16	4419	2x11"
4.4.50.7	16.2	34.0	29926	68	10.0	237	19898	64	182	46	395	4056	1280	520	3056	1828	1828	42	16	4419	2x11"
8.4.50.7	36.0	26.6	29626	68	10.0	35.9	19259	64	273	86	480	4056	1460	520	3056	1828	1828	42	22	4419	2x11"
8.4.50.7	38.2	54.4	28174	68	10.0	41.8	18656	64	365	90	576	4056	1680	520	3056	1828	1828	54	22	4419	2x11"
3.4.56.7	16.0	36.2	43869	68	10.0	29.9	23229	58	150	48	408	4456	1340	620	4056	2028	2028	42	22	4419	2x11"
4.4.56.7	18.1	46.4	42182	68	10.0	37.7	20649	58	180	64	481	4456	1340	620	4056	2028	2028	42	22	4419	2x11"
8.4.56.7	33.1	76.0	40200	68	10.0	52.8	25560	58	507	136	720	4456	1340	620	4056	2028	2028	54	22	4419	2x11"