

Goedhart VCB 64507

Specifications



Производитель	Goedhart
Тип	VCB 64507
кВт	42.1
Хладагент	Freon
К-во вентиляторов	4
Расстояние между ламелями, мм	7
Оттайка	None
Поток воздуха м³/час	28.259
Размеры	4456x890x720mm (LxWxH)
Примечания	Fan 1.62 kW at 1360 RPM
Remarks	YOB 1997
Volume	57dm ³
вес	373
Stock	8



Description

Used Goedhart VCB 64507

Used but in good condition evaporator build by Goedhart type VCB 64507, 4 Fans 28259m³/h and 57 dm³ weight 373kg. "*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. Optional we can arrange shipment and export documents."





Your partner for used commercial and industrial refrigeration equipment

Lamelafstand / Finspacing															7 mm														
Type	Ventilator		Lucht in / Air in		Lucht uit / Air out		Lucht in / Air in		Lucht uit / Air out		Lucht in / Air in		Lucht uit / Air out		Lucht in / Air in		Lucht uit / Air out		Lucht in / Air in		Lucht uit / Air out		Lucht in / Air in		Lucht uit / Air out				
VCI	mm	kW	kW	m ³ /h	m ³	dm ³	kg	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
6.140.7	1x	5.1	4.0	3285	33	9	80	1156	770	620	600	756																	
6.4457	4x	31.3	23.3	19840	182	45	287	3656	770	720	600	1628	1628	914	1828	16	42	35	11.08	16.47	22.5								
6.4525	2x2x2	52	37.6	15276	210	53	315	3556	720	720	720	1628	1628	914	1828	16	42	35	12.35	18.25	25.17								
6.4507	4x	42.1	31.3	28259	228	57	373	4456	890	720	700	2028	2028	1114	2228	16	42	35	13.79	20.35	25								
6.4531	4x4x4	82.9	57.7	47187	348	88	481	4936	960	720	680	2428	2428	1114	2628	16	42	35	17.41	27.96	40								
6.4567	4x	81.6	44.6	40744	334	83	513	4856	1010	920	800	2228	2228	1214	2428	22	54	35	18.84	29.84	27.5								
6.4567	0360	89.9	50.4	39415	445	110	610	4856	1110	920	800	2228	2228	1214	2428	22	54	35	29.94	37.69	27.5								
6.4837	4x	79.7	59.5	50904	456	113	659	5256	1010	1120	800	2428	2428	1314	2628	22	54	35	25.56	33.49	27.5								
6.4537	0300	93.4	71.6	49495	608	150	784	5256	1110	1120	900	2428	2428	1314	2628	28	64	42	37.90	45.71	27.5								