

DWM D4DT5-220 X AWM/D Tank aggregate

Specifications

Brand	DWM
Type	D4DT5-220 X AWM/D Tank aggregate
Refrigerant	Freon
kW at -10°C/+40°C	38,7*
kW at -20°C/+40°C	31,5
kW at -30°C/+40°C	19,9
kW at -40°C/+40°C	11,7
kW at -45°C/+40°C	8,52
On steel base frame	✓
Oil separator	✓
Sight Glass	✓
m3 / h	84,7
Remarks	*Cooling capacity at -15°C/+40°C
Weight in kg.	231 kg
Sizes	1100x780x1200 mm (LxWxH)
Stock	1




Description

Used DWM D4DT5-220 X AWM/D Tank aggregate

Used DWM Copeland D4DT5-220X-AWM/D tank aggregate. Semi hermetic compressor complete with headfan. Fan specifications are: 1350 RPM with 0.06 kW at 50 Hz, Ø 30 cm. Additionally equipped with an oil separator, liquid receiver and liquid line filter.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.





 Copeland		N° 407980	1994-11	
IP54	I.cl.B	Mot. 3 ~	Type: LS63E	
		°C amb.	S1	
V ^{+20%} _{-10%}	Hz	min-1	kW	A
Δ220-Y380	50	1350	0,06	0,5/0,3
Y440	60	1660	0,06	0,3
Δ220/Y380	60	1610	0,06	0,45/0,25
VDE 0530		Gefertigt von LEROY-SOMER		