

Bitzer 4NCS-12.2Y-40P (x4)

Specifications

Brand	Bitzer
Type	4NCS-12.2Y-40P (x4)
Refrigerant	Freon
kW at -5°C/+40°C	149,3
kW at -10°C/+40°C	122,5
kW at -20°C/+40°C	79,2
kW at -30°C/+40°C	47,4
kW at -40°C/+40°C	24,5
kW at -45°C/+40°C	15,8
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Oil separator	✓
Oil level system AC&R	✓
Solenoid Valve	✓
m ³ / h	224,8
Remarks	Y.o.b. 2011
Package / Rack	✓
Sizes	2550x1070x1050 mm (LxWxH)
Stock	1



Description

Used Bitzer 4NCS-12.2Y-40P (x4)

Used Bitzer 4NCS-12.2Y-40P compressor rack on Freon build in 2011. Complete with 4 Bitzer 4NCS-12.2Y-40P semi-hermetic reciprocating compressors, ESK Schultze oil separator, Oilstar TOS-7 oil reservoir, pressure and safety switches/gauges. The compressors have a displacement of 224,8 m³/h together.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.





