

# Thermofin TGN.2-063-12-F-L-DE-12

## Specifications

Brand	Thermofin
Type	TGN.2-063-12-F-L-DE-12
kW	28,9
Refrigerant	Glycol
Number of Fans	2
Fin Space in mm	12
Defrosting	None
m <sup>3</sup> /h	17.000
Sizes	3050x1050x950 mm (LxWxH)
Remarks	Y.o.b. 2017
Remarks	Surface: 157 m <sup>2</sup>
Volume	69,1 dm <sup>3</sup>
Weight	400 kg
Stock	4



## Description

### Used Thermofin TGN.2-063-12-F-L-DE-12

Used Thermofin TGN.2-063-12-F-L-DE-12 glycol cooler. Complete with 2 EBM-Papst S3G630-CG97-01 fans - 50/60 Hz - 1,08 kW - 1160 RPM - diameter 630 mm and a total airflow of 17.000 m<sup>3</sup>/h.

\*All components of this used evaporator will be tested on good working, leak free condition (electro engines), coils, bearings) Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



thermofin GmbH Am Windrad 1 D - 08468 Heinsdorfergrund		<b>CE</b> thermofin <sup>®</sup> heat exchangers - GERMANY	
Bezeichnung model / modèle	TGN.2-063-12-F-L-DE-12		
Artikel-Nr. article-n° / no d'article	HY1 010 218	Geräte-Nr. unit-n° / no. d'appareil	001
Projekt-Nr. project-n° / no. de projet	50010173 - 010	Betriebsdruck/max. working pressure / pression max	PS 10 bar
Fertigungsjahr prod year / année de fabr	07/2017	Prüfdruck/ test pressure / pression d'épreuve	PT 11 bar
Rohrvolumen tube volume / volume tubul	69,1 L	Prüfmedium test medium / fluide d'épreuve	Luft / air
Leergewicht empty weight / poids	ca. 400,0 kg	Ventilator temp. / fan temp. plage de temp. d'utilis. des vent	-25/+60 °C
Wasser / eau		Propylenglykol / propylene glycol	
Temperatur / Temp.		Temperatur / Temp.	
Medium temp. zul. / medium temp. all. / plage de temp. d'utilis. du fluide		TS -20/+60 (34%) °C	
el. Anschlusswerte / connected load / données électriques			
Ventilator(en) fan(s) / ventilator(s)	380-480 V	el. Heizung el. dégivrage	- kW
Δ /	2,16 kW		





