

Grasso RR-R2240S-28 / SP1 RB-5B

Specifications

Brand	Grasso
Type	RR-R2240S-28 / SP1 RB-5B
Refrigerant	NH 3 (ammonia)
kW at -10°C/+40°C	673,0
kW at -20°C/+40°C	539,0
kW at -30°C/+40°C	330,0
kW at -40°C/+40°C	172,0
Electromotor Specs	50 Hz - 250 kW - 2965 RPM
On steel base frame	✓
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	1248
Remarks	Y.o.b. 2013
Weight in kg.	4.100
Sizes	3600x1600x2600 mm (LxWxH)
Stock	1



Description

Used Grasso RR-R2240S-28 / SP1 RB-5B

Used Grasso SP1 RB-5B compressor unit on NH3 build in 2013. Complete with 1 Grasso RR-R2240S-28 screw compressor, WEG 280L-02 electric motor: 50 Hz - 250 kW - 2965 RPM, ATM Apparatebau 3674 oil separator, HS-Cooler KS12-FEP-812 L1200 oil cooler, Kracht KF 3/63 F10B N0A 7GP74/177 oil pump with a ADDA Antriebstechnik electric motor - 50 Hz - 1,5 kW - 1415 RPM and a control box with a GEA Grasso GSC TP display. The compressor has a displacement of 1248 m³/h.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.



Your partner for used commercial and
industrial refrigeration equipment

*Optional we can also arrange the
logistics.









