

Sabroe HPC 106 S

Specifications

Brand	Sabroe
Type	HPC 106 S
Refrigerant	CO2
kW at -30°C/+40°C	132,0*
Electromotor Specs	50/60 Hz - 132/152 kW - 1482/1782 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Oil separator	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	339,0
Remarks	Y.o.b. 2005
Remarks	*Capacity based on the following temperatures: -50°C/-10°C
Sizes	2350x1150x2020 mm (LxWxH)
Stock	1



Description

Used Sabroe HPC 106 S

Used Sabroe HPC 106 S reciprocating compressor on CO2 (R744). Complete with a Leroy Somer LS315MP-T electric motor - 50/60 Hz - 132/152 kW - 1482/1782 RPM, Sabroe OVUR 4113D oil separator with a volume of 158 liter and a Unisab 2 control panel. The compressor has a capacity of 132 kW at -50°C/-10°C and a displacement of 339 m³/h at 1500 RPM. This unit comes with a CE declaration.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also arrange the logistics.





