

# Howden MK4AS/XRV204145MVI

## Specifications

|                              |                                                               |
|------------------------------|---------------------------------------------------------------|
| Brand                        | Howden                                                        |
| Type                         | MK4AS/XRV204145MVI                                            |
| Refrigerant                  | NH 3 (ammonia)                                                |
| kW at 0°C/+40°C              | 806,1                                                         |
| kW at -5°C/+40°C             | 643,7                                                         |
| kW at -10°C/+40°C            | 505,6                                                         |
| kW at -20°C/+40°C            | 295,4                                                         |
| kW at -30°C/+40°C            | 148,8                                                         |
| Electromotor Specs           | 50/60 Hz - 200/230 kW - 2975/3575 RPM                         |
| On steel base frame          | ✓                                                             |
| Pressure safety switches     | ✓                                                             |
| Hp/Lp/Op                     |                                                               |
| Condensing pressure switches | ✓                                                             |
| Oil separator                | ✓                                                             |
| m <sup>3</sup> / h           | 1070                                                          |
| Remarks                      | *Capacity based on the following temperatures: (-10°C/+35°C)  |
| Remarks                      | **Capacity based on the following temperatures: (-35°C/+35°C) |
| Weight in kg.                | +3300 kg                                                      |
| Sizes                        | 2930x1250x2250 mm (LxWxH)                                     |
| Stock                        | 2                                                             |



## Description

### Used Howden MK4AS/XRV204145MVI

Used Howden MK4AS/XRV204145MVI open-type screw compressor set on R717 (NH3). Complete with a Schorch KN7315M-AB01B-401 electric motor - 50/60 Hz - 200/230 kW - 2975/3575 RPM, Samifi Babcock SHH 600 oil separator, HS-Cooler KS12-AEH-122 oil cooler, Samifi Babcock FI150 104 oil filter, pressure and safety switches and condensing pressure switch. The compressor has a displacement of 1070 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and



arrange the logistics.











