

## Bitzer 6H-35.2Y (x1) & 6G-40.2 (x1)

### Specifications

Brand	Bitzer
Type	6H-35.2Y (x1) & 6G-40.2 (x1)
Refrigerant	Freon
kW at 0°C/+40°C	191,9
kW at -5°C/+40°C	159,4
kW at -10°C/+40°C	131,2
kW at -20°C/+40°C	85,6
kW at -30°C/+40°C	51,8
kW at -40°C/+40°C	27,4
Unloaded Start	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	200
Oil separator	✓
Oil level system AC&R	✓
Solenoid Valve	✓
m <sup>3</sup> / h	260,1
Package / Rack	✓
Sizes	2200x850x1550 mm (LxWxH)
Stock	1



### Description

#### Used Bitzer 6H-35.2Y (x1) & 6G-40.2 (x1)

Used Bitzer 6H-35.2Y (x1) & 6G-40.2 (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Apparatebau KV 200 NL liquid receiver, 2 Temprite 926L oil separators, Henry S-9109 oil reservoir and pressure and safety switches. The compressors have a total displacement of 260,1 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. \*If requested we are happy to arrange your shipment.





