

## Grasso RC 49

### Specifications

|                          |                             |
|--------------------------|-----------------------------|
| Brand                    | Grasso                      |
| Type                     | RC 49                       |
| Refrigerant              | Freon                       |
| kW at 0°C/+40°C          | 203,7                       |
| kW at -5°C/+40°C         | 166,2                       |
| kW at -10°C/+40°C        | 133,6                       |
| kW at -20°C/+40°C        | 80,9                        |
| kW at -30°C/+40°C        | 42,4                        |
| On steel base frame      | ✓                           |
| Pressure safety switches | ✓                           |
| Hp/Lp/Op                 |                             |
| Pressure gauges          | ✓                           |
| Hp/Lp/Op                 |                             |
| Oil separator            | ✓                           |
| Sight Glass              | ✓                           |
| m <sup>3</sup> / h       | 281,1                       |
| Sizes                    | 2300x900x2000 mm<br>(LxWxH) |
| Stock                    | 1                           |



### Description

#### Used Grasso RC 49

Used Grasso RC 49 reciprocating compressor unit on Freon. Complete with a Rotor XF250M04 129 electric motor - 50 Hz - 55 kW - 1475 RPM, Grasso OA 80 A oil separator, and pressure and safety switches/gauges. The compressor has a displacement of 281,1 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.







