

Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

Specifications

Brand	Bitzer
Type	6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)
Refrigerant	Freon
kW at -5°C/+40°C	205,3
kW at -10°C/+40°C	169,3
kW at -20°C/+40°C	110,9
kW at -30°C/+40°C	67,7
kW at -40°C/+40°C	36,4
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	160
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	50 Hz - 309,8 m³/h - 60 Hz - 374,1 m³/h
Remarks	Y.o.b. 2005
Weight in kg.	1500 kg



Package / Rack	✓
Sizes	3290x950x2150 mm (LxWxH)
Stock	1

Description

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1)

Used Bitzer 6G-30.2Y-40P (x2) & 4NCS-12.2Y-40P (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with Bitzer F1602N liquid receiver with a volume of 160 liters, oil separator, oil reservoir, braced heat exchanger, liquid line filter drier, and pressure and safety switches/gauges.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





