

## Bitzer 6H.2 (x3)

### Specifications

Brand	Bitzer
Type	6H.2 (x3)
Refrigerant	Freon
kW at 0°C/+40°C	269,9
kW at -5°C/+40°C	224,8
kW at -10°C/+40°C	185,5
kW at -20°C/+40°C	122
kW at -30°C/+40°C	75,2
Electromotor Specs	30
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	39
Liquid line filter drier	✓
Sight Glass	✓
Remarks	# // Electromotor: 30 kW at 1455 RPM
Remarks	R404a - R22 or other freon types
Package / Rack	✓
Sizes	2800x1600x1750 mm (LxWxH)



Stock

1

---

## Description

### Used Bitzer 6H.2 (x3)

Used Bitzer 6H.2 (x3) freon compressor rack, complete with unloaded start, capacity control, pressure safety switches, pressure gauges, liquid line filter drier, sight glass and liquid receiver with a volume of 269,9 kW at 0°C/+40°C.

Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and deliver after an industrial cleaning. \*If requested we are happy to arrange your logistics.





