

Bitzer OSKA5361-K

Specifications

Brand	Bitzer
Type	OSKA5361-K
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	153.2
kW at 0°C/+40°C	106.0
kW at -5°C/+40°C	86.8
kW at -10°C/+40°C	70.2
Remarks	as good as new
Stock	1



Description

Used Bitzer OSKA5361-K

Used, well maintained Bitzer OSKA5361-K screw Ammonia NH3 refrigeration . Our capacity table is based on the used type of Freon. You can also use these compressors on alternative types of Freon. For all the other specs (if available), see the picture of the manufacturer model plate or the attached pdf file. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.






bezogen auf 5 K Sauggasüberhitzung,
ohne Flüssigkeitsunterkühlung,
Motor-Drehzahl 2900 min⁻¹ (50 Hz)

based on 5 K suction superheat,
without liquid subcooling, motor speed
2900 min⁻¹ (50 Hz)

se référant à surchauffe à l'aspiration de 5 K,
sans sous-refroidissement de liquide,
vitesse du moteur 2900 min⁻¹ (50 Hz)

Klima-/Normalbereich		High-/Medium temperature range				Climatisation/Moyennes températures			
Verdichter Typ	Verf. Temp.	Kälteleistung Cooling capacity Puissance frigorifique	Q ₀ [Watt]	Verdampfungstemperatur °C	Saturated suction temperature °C	Leistungsaufnahme (Welle) Power consumption (shaft) Puissance absorbée (arbre)	P _e [kW]	Temperatur d'évaporation °C	
Compressor type	Cond. temp.								
Type de compresseur	Temp. de cond. °C								
				12,5 10 7,5 5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20			-5 -10 -15 -20	
OSKA341-K	30	10000 11000 12000 13000 14000 15000 16000 17000 18000 19000 20000	6000 6400 6800 7200 7600 8000 8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	19,18 18,54 17,89 17,21 16,54 15,83 15,09 14,36 13,66 12,96 12,25		-5 -10 -15 -20	
OSKA351-K	40	11000 12000 13000 14000 15000 16000 17000 18000 19000 20000	6400 6800 7200 7600 8000 8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	20,00 19,36 18,71 18,03 17,35 16,66 15,97 15,27 14,58 13,88 13,18		-5 -10 -15 -20	
OSKA361-K	50	12000 13000 14000 15000 16000 17000 18000 19000 20000	6800 7200 7600 8000 8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	21,00 20,36 19,71 19,03 18,35 17,66 16,97 16,27 15,58 14,88 14,18		-5 -10 -15 -20	
OSKA381-K	60	13000 14000 15000 16000 17000 18000 19000 20000	7200 7600 8000 8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	22,00 21,36 20,71 20,03 19,35 18,66 17,97 17,27 16,58 15,88 15,18		-5 -10 -15 -20	
OSKA401-K	70	14000 15000 16000 17000 18000 19000 20000	7600 8000 8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	23,00 22,36 21,71 21,03 20,35 19,66 18,97 18,27 17,58 16,88 16,18		-5 -10 -15 -20	
OSKA421-K	80	15000 16000 17000 18000 19000 20000	8000 8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	24,00 23,36 22,71 22,03 21,35 20,66 19,97 19,27 18,58 17,88 17,18		-5 -10 -15 -20	
OSKA441-K	90	16000 17000 18000 19000 20000	8400 8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	25,00 24,36 23,71 23,03 22,35 21,66 20,97 20,27 19,58 18,88 18,18		-5 -10 -15 -20	
OSKA461-K	100	17000 18000 19000 20000	8800 9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	26,00 25,36 24,71 24,03 23,35 22,66 21,97 21,27 20,58 19,88 19,18		-5 -10 -15 -20	
OSKA481-K	110	18000 19000 20000	9200 9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	27,00 26,36 25,71 25,03 24,35 23,66 22,97 22,27 21,58 20,88 20,18		-5 -10 -15 -20	
OSKA501-K	120	19000 20000	9600 10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	28,00 27,36 26,71 26,03 25,35 24,66 23,97 23,27 22,58 21,88 21,18		-5 -10 -15 -20	
OSKA521-K	130	20000	10000	5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	29,00 28,36 27,71 27,03 26,35 25,66 24,97 24,27 23,58 22,88 22,18		-5 -10 -15 -20	
OSKA541-K	140			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	30,00 29,36 28,71 28,03 27,35 26,66 25,97 25,27 24,58 23,88 23,18		-5 -10 -15 -20	
OSKA561-K	150			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	31,00 30,36 29,71 29,03 28,35 27,66 26,97 26,27 25,58 24,88 24,18		-5 -10 -15 -20	
OSKA581-K	160			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	32,00 31,36 30,71 30,03 29,35 28,66 27,97 27,27 26,58 25,88 25,18		-5 -10 -15 -20	
OSKA601-K	170			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	33,00 32,36 31,71 31,03 30,35 29,66 28,97 28,27 27,58 26,88 26,18		-5 -10 -15 -20	
OSKA621-K	180			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	34,00 33,36 32,71 32,03 31,35 30,66 29,97 29,27 28,58 27,88 27,18		-5 -10 -15 -20	
OSKA641-K	190			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	35,00 34,36 33,71 33,03 32,35 31,66 30,97 30,27 29,58 28,88 28,18		-5 -10 -15 -20	
OSKA661-K	200			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	36,00 35,36 34,71 34,03 33,35 32,66 31,97 31,27 30,58 29,88 29,18		-5 -10 -15 -20	
OSKA681-K	210			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	37,00 36,36 35,71 35,03 34,35 33,66 32,97 32,27 31,58 30,88 30,18		-5 -10 -15 -20	
OSKA701-K	220			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	38,00 37,36 36,71 36,03 35,35 34,66 33,97 33,27 32,58 31,88 31,18		-5 -10 -15 -20	
OSKA721-K	230			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	39,00 38,36 37,71 37,03 36,35 35,66 34,97 34,27 33,58 32,88 32,18		-5 -10 -15 -20	
OSKA741-K	240			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	40,00 39,36 38,71 38,03 37,35 36,66 35,97 35,27 34,58 33,88 33,18		-5 -10 -15 -20	
OSKA761-K	250			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	41,00 40,36 39,71 39,03 38,35 37,66 36,97 36,27 35,58 34,88 34,18		-5 -10 -15 -20	
OSKA781-K	260			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	42,00 41,36 40,71 40,03 39,35 38,66 37,97 37,27 36,58 35,88 35,18		-5 -10 -15 -20	
OSKA801-K	270			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	43,00 42,36 41,71 41,03 40,35 39,66 38,97 38,27 37,58 36,88 36,18		-5 -10 -15 -20	
OSKA821-K	280			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	44,00 43,36 42,71 42,03 41,35 40,66 39,97 39,27 38,58 37,88 37,18		-5 -10 -15 -20	
OSKA841-K	290			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	45,00 44,36 43,71 43,03 42,35 41,66 40,97 40,27 39,58 38,88 38,18		-5 -10 -15 -20	
OSKA861-K	300			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	46,00 45,36 44,71 44,03 43,35 42,66 41,97 41,27 40,58 39,88 39,18		-5 -10 -15 -20	
OSKA881-K	310			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	47,00 46,36 45,71 45,03 44,35 43,66 42,97 42,27 41,58 40,88 40,18		-5 -10 -15 -20	
OSKA901-K	320			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	48,00 47,36 46,71 46,03 45,35 44,66 43,97 43,27 42,58 41,88 41,18		-5 -10 -15 -20	
OSKA921-K	330			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	49,00 48,36 47,71 47,03 46,35 45,66 44,97 44,27 43,58 42,88 42,18		-5 -10 -15 -20	
OSKA941-K	340			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	50,00 49,36 48,71 48,03 47,35 46,66 45,97 45,27 44,58 43,88 43,18		-5 -10 -15 -20	
OSKA961-K	350			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	51,00 50,36 49,71 49,03 48,35 47,66 46,97 46,27 45,58 44,88 44,18		-5 -10 -15 -20	
OSKA981-K	360			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	52,00 51,36 50,71 50,03 49,35 48,66 47,97 47,27 46,58 45,88 45,18		-5 -10 -15 -20	
OSKA1001-K	370			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	53,00 52,36 51,71 51,03 50,35 49,66 48,97 48,27 47,58 46,88 46,18		-5 -10 -15 -20	
OSKA1021-K	380			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	54,00 53,36 52,71 52,03 51,35 50,66 49,97 49,27 48,58 47,88 47,18		-5 -10 -15 -20	
OSKA1041-K	390			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	55,00 54,36 53,71 53,03 52,35 51,66 50,97 50,27 49,58 48,88 48,18		-5 -10 -15 -20	
OSKA1061-K	400			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	56,00 55,36 54,71 54,03 53,35 52,66 51,97 51,27 50,58 49,88 49,18		-5 -10 -15 -20	
OSKA1081-K	410			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	57,00 56,36 55,71 55,03 54,35 53,66 52,97 52,27 51,58 50,88 50,18		-5 -10 -15 -20	
OSKA1101-K	420			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	58,00 57,36 56,71 56,03 55,35 54,66 53,97 53,27 52,58 51,88 51,18		-5 -10 -15 -20	
OSKA1121-K	430			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	59,00 58,36 57,71 57,03 56,35 55,66 54,97 54,27 53,58 52,88 52,18		-5 -10 -15 -20	
OSKA1141-K	440			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	60,00 59,36 58,71 58,03 57,35 56,66 55,97 55,27 54,58 53,88 53,18		-5 -10 -15 -20	
OSKA1161-K	450			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	61,00 60,36 59,71 59,03 58,35 57,66 56,97 56,27 55,58 54,88 54,18		-5 -10 -15 -20	
OSKA1181-K	460			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	62,00 61,36 60,71 60,03 59,35 58,66 57,97 57,27 56,58 55,88 55,18		-5 -10 -15 -20	
OSKA1201-K	470			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	63,00 62,36 61,71 61,03 60,35 59,66 58,97 58,27 57,58 56,88 56,18		-5 -10 -15 -20	
OSKA1221-K	480			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	64,00 63,36 62,71 62,03 61,35 60,66 59,97 59,27 58,58 57,88 57,18		-5 -10 -15 -20	
OSKA1241-K	490			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	65,00 64,36 63,71 63,03 62,35 61,66 60,97 60,27 59,58 58,88 58,18		-5 -10 -15 -20	
OSKA1261-K	500			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	66,00 65,36 64,71 64,03 63,35 62,66 61,97 61,27 60,58 59,88 59,18		-5 -10 -15 -20	
OSKA1281-K	510			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	67,00 66,36 65,71 65,03 64,35 63,66 62,97 62,27 61,58 60,88 60,18		-5 -10 -15 -20	
OSKA1301-K	520			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	68,00 67,36 66,71 66,03 65,35 64,66 63,97 63,27 62,58 61,88 61,18		-5 -10 -15 -20	
OSKA1321-K	530			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	69,00 68,36 67,71 67,03 66,35 65,66 64,97 64,27 63,58 62,88 62,18		-5 -10 -15 -20	
OSKA1341-K	540			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	70,00 69,36 68,71 68,03 67,35 66,66 65,97 65,27 64,58 63,88 63,18		-5 -10 -15 -20	
OSKA1361-K	550			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	71,00 70,36 69,71 69,03 68,35 67,66 66,97 66,27 65,58 64,88 64,18		-5 -10 -15 -20	
OSKA1381-K	560			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	72,00 71,36 70,71 70,03 69,35 68,66 67,97 67,27 66,58 65,88 65,18		-5 -10 -15 -20	
OSKA1401-K	570			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	73,00 72,36 71,71 71,03 70,35 69,66 68,97 68,27 67,58 66,88 66,18		-5 -10 -15 -20	
OSKA1421-K	580			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	74,00 73,36 72,71 72,03 71,35 70,66 69,97 69,27 68,58 67,88 67,18		-5 -10 -15 -20	
OSKA1441-K	590			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	75,00 74,36 73,71 73,03 72,35 71,66 70,97 70,27 69,58 68,88 68,18		-5 -10 -15 -20	
OSKA1461-K	600			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	76,00 75,36 74,71 74,03 73,35 72,66 71,97 71,27 70,58 69,88 69,18		-5 -10 -15 -20	
OSKA1481-K	610			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	77,00 76,36 75,71 75,03 74,35 73,66 72,97 72,27 71,58 70,88 70,18		-5 -10 -15 -20	
OSKA1501-K	620			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	78,00 77,36 76,71 76,03 75,35 74,66 73,97 73,27 72,58 71,88 71,18		-5 -10 -15 -20	
OSKA1521-K	630			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	79,00 78,36 77,71 77,03 76,35 75,66 74,97 74,27 73,58 72,88 72,18		-5 -10 -15 -20	
OSKA1541-K	640			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	80,00 79,36 78,71 78,03 77,35 76,66 75,97 75,27 74,58 73,88 73,18		-5 -10 -15 -20	
OSKA1561-K	650			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	81,00 80,36 79,71 79,03 78,35 77,66 76,97 76,27 75,58 74,88 74,18		-5 -10 -15 -20	
OSKA1581-K	660			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	82,00 81,36 80,71 80,03 79,35 78,66 77,97 77,27 76,58 75,88 75,18		-5 -10 -15 -20	
OSKA1601-K	670			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	83,00 82,36 81,71 81,03 80,35 79,66 78,97 78,27 77,58 76,88 76,18		-5 -10 -15 -20	
OSKA1621-K	680			5 0 -5 -10 -15 -20	12,5 10 7,5 5 0 -5 -10 -15 -20	84,00 83,36 82,71 82,03 81,35 80,66 79,97 79,27 78,58 77,88 77,18		-5 -10 -15 -20	
OSKA									





Your partner for used commercial and
industrial refrigeration equipment
